

Moreover, and the second of the object of sections



UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY DATA REPORT

CSS HUDSON CRUISE 82-001 14 FEBRUARY - 6 APRIL 1982 Volume 2: CTD Data Plots

> S DTIC SELECTE JUN 26 1985

This document has been approved for puthe reteams and sale; its discretion is unlimited.

84 11 21 094

、出诉

SIO REFERENCE #84-14, Vol. 2

REPORT DOCUMENTATION	PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
REPORT NUMBER	2. GOVT ACCESSION	NO. 3. CIPIENT'S CATALOG NUMBER
	A1540	70/
TITLE - and Subtitle)		5. TYPE OF REPORT & PERIOD COVER
DATA REPORT CSS HUDSON CRUISE 82-0	001, 14 FEBRUAR	Y -
6 APRIL 1982, VOLUME 1: Physical	and Chemical	6 PERFORMING ORG. REPORT NUMBER
Data, VOLUME 2: CTD Data Plots		84-14
AUTHORIS,		8. CONTRACT OR GRANT NUMBER(1)
		N00014 -80-C-0440
PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TAS AREA & WORK UNIT NUMBERS
Scripps Institution of Oceanography		
La Jolla, California 92093		
CONTPOLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
Office of Naval Research		June 1984
Arlington, Virginia 22217		13. NUMBER OF PAGES 477
MONITORING AGENCY NAME & ADDRESS(If different	t from Controlling Office	15. SECURITY CLASS. (of this report)
		Unclassified
		150. DECLASSIFICATION DOWNGRADING
		1 130, DECLASSIFICATION DOWNGRADING
Approved for public release: Di	stribution unl	SCHEDULE
		imited
Approved for public release: Di		imited
Approved for public release: Di		imited (rom Report) August Carl Sat
Approved for public release: Di		rom Roport) Avecase to a Sat
Approved for public release: Di		rom Report) Auditor (TAXI
Approved for public release: Di		rom Roport) Avecase to a Sat
Approved for public release: Di		rom Roport) Avecase to a Sat
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered) SUPPLEMENTARY NOTES	in Block 29, if different	imited from Report) Auditoria, Sat PTIC / DAMI AUDITORIAN White nounced Distribution/ Availability Codes
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered) SUPPLEMENTARY NOTES	in Block 29, if different	imited from Report) August Con. But Distribution By Distribution/ Availability Codes Avail and/or
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered) SUPPLEMENTARY NOTES	in Block 29, if different	imited from Report) Augustical Nat PTID (TANI) PTID (T
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered) SUPPLEMENTARY NOTES	in Block 29, if different	imited from Report) August Con. But Distribution By Distribution/ Availability Codes Avail and/or
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered) SUPPLEMENTARY NOTES	in Block 29, if different	imited from Report) August Con. But Distribution By Distribution/ Availability Codes Avail and/or
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered) SUPPLEMENTARY NOTES	in Block 20, if different	imited from Report) August Con. But Distribution But Distribution/ Availability Codes Avail and/or Dist Special
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered in SUPPLEMENTARY NOTES KEY WORDS (Continue on reverse side if necessary and	in Block 29, if different d identify by block numb	imited from Report) Audit for Sat PTIC FOASI Availability Codes Avail and/or Dist Special
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered in SUPPLEMENTARY NOTES REY WORDS (Continue on reverse side if necessary and A joint U.SCanadian midwinter oc	d Identify by block numbers of anographic expansion and the state of t	imited from Report) Audition Sat PTIC (PARI Management Manageme
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered) SUPPLEMENTARY NOTES ABSTRACT (Continue on reverse side if necessary and A joint U.SCanadian midwinter oc waters north of the Greenland-Scot vessel CSS Hudson during February-	In Block 29, If different distribution of identify by block number eanographic expland ridges above about 1982, principles, pr	imited from Report) Addition Sat PTID (TASE) PTID (TAS
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered) SUPPLEMENTARY NOTES KEY WORDS (Continue on reverse side if necessary and A joint U.SCanadian midwinter oc waters north of the Greenland-Scot vessel CSS Hudson during February-Jan Mayen and Santsbergen. The go.	d identify by block numbers anographic expland ridges about 1982, proals were 1) to	imited from Report) Audit (1.84) PTID (1.8
Approved for public release: Di DISTRIBUTION STATEMENT (of the abstract entered in SUPPLEMENTARY NOTES KEY WORDS (Continue on reverse side if necessary and	In Block 20, If different Identify by block numbers eanographic expland ridges about 1982, proposed to the Green	imited from Report) Addition Sat PTID (TAXI) PTID (T

University of California

Scripps Institution of Oceanography

DATA REPORT

CSS Hudson Cruise 82-001

14 February - 6 April 1982

A joint venture of

Bedford Institute of Oceanography

Halifax, Nova Scotia

and

Scripps Institution of Oceanography

La Jolla, California

Volume 2: CTD Data Plots

Sponsored by

United States Office of Naval Research

Canadian Department of Fisheries and Oceans

SIO Reference No. 84-14, Vol. 2

June 1984

Approved for distribution:

W. A. Nierenberg, Director-

INTRODUCTION

We carried out a joint U.S.-Canadian midwinter oceanographic expedition to the waters north of the Greenland-Scotland ridges aboard the Canadian scientific vessel CSS Hudson during February-April 1982, principally in the region between Jan Mayen and Spitsbergen. Our goals were 1) to observe conditions in the surface waters in winter, especially in the Greenland Sea and in the northern Norwegian Sea; 2) to exploit useful tracer signals such as salinity, dissolved oxygen, dissolved silica and other nutrients, tritium, freons, and isotopes of cesium, and, 3) to map regional variations in the various water masses.

The cruise track (Fig. 1) was designed not only to provide winter stations in major water mass formation regions, such as the Greenland Sea, but also to yield wide enough areal coverage to include the exchanges with the Atlantic Ocean through the Faeroe-Shetland Channel, with the Arctic Ocean through the Greenland-Spitsbergen Passage (Fram Strait), and with the Barents Sea. Coverage extended northward and westward as far as ice conditions allowed. We could provide only two widelyspaced sections in the central Norwegian Sea, a few stations in the Iceland Sea, and no coverage in Denmark Strait However, a companion winter cruise to the Iceland Sea was carried out by the Icelandic Marine Research Institute aboard the RS Bjarni Saemundsson, and coverage of the Norwegian and Greenland seas was later augmented by the Deutsches Hydrographisches Institut during a May-July 1982 cruise of the RV Meteor.

This volume of the *Hudson* 82-001 CTD/hydrographic data report contains plots generated from the final CTD data, processed by the Scripps Physical and Chemical Oceanographic Data Facility (PACODF). An outline of CTD sampling and processing techniques is found in Volume 1. Here, the data from each CTD cast are displayed in two standard formats:

- 1) Temperature and salinity versus pressure from 0 to 600 db, or less at shallow stations, and
- 2) Potential temperature versus salinity for all data colder than 3°C, with salinities from 34.70 35.06.

Here we report data collected aboard the *Hudson* from the Conductivity/Temperature/Depth (CTD)/rosette casts by the Scripps Physical and Chemical Oceanographic Data Facility (PACODF), and results of alkalinity, total inorganic carbon, and tritium analyses by other investigators. Volume I contains a brief text outlining the cruise, sampling programs, methods and procedures, and the tabulated hydrographic and CTD data. Volume 2 contains plots of the final calibrated CTD data.

We wish to acknowledge the generous support and encouragement we received at all stages in the venture from the United States Office of Naval Research and the Canadian Department of Fisheries and Oceans. The field program was made a genuine pleasure by the expert seamanship and superb support services provided by the officers and crew of the CSS Hudson, F. W. Mauger, captain. For the final measure of success - the excellent quality of these data - we are indebted to the care and efficiency in conducting the CTD casts, rosette sampling, bottle data analyses, and CTD processing provided by personnel from the Scripps Physical and Chemical Oceanographic Data Facility, under the supervision of R.T. Williams. A. W. Mantyla carefully edited the final version of the discrete sample data. Programming, figure preparation, and printing of the data tables were patiently undertaken J. Washington and M. Mitchell. The text was prepared by S. McBride, and the Marine Life Research Group Illustration Facility designed the cover and attended to final publication details.

R. A. Clarke J. L. Reid J. H. Swift

The CTD data are plotted at 1 db intervals, and data gaps are left blank. Scale factors are constant throughout to facilitate intercomparisons. At these ranges, on-paper changes of equal dimensions in temperature and salinity correspond to approximately equal changes in density. The expanded salinity scale resolves the smallest reported salinity changes (reported CTD salinity resolution is 0.001), giving rise to somewhat "chappy" salinity plots. Where no data were found within the potential temperature — salinity plot ranges, the plot has been omitted. The symbol $\frac{1}{200}$, or its equivalent, is not used for PSS 78 salinities. The plots, though, were prepared in SI units, for which the symbol is retained.









Fig. 1. Cruise track and station positions for *Hudson* Cruise 82-001. Reported CTD and hydrographic sampling began with station 4 and concluded with station 132. The Greenland Sea lies west of the midocean ridge from Jan Mayen (just south of station 105) to the Greenland-Spitsbergen Passage (Fram Strait). The Norwegian Sea extends from the Faeroe-Shetland Channel to Fram Strait east of the midocean ridge. The Iceland Sea is bounded by Iceland, Greenland, and Jan Mayen. The Barents Sea is the large shelf sea north of Norway. Ice-covered areas north of 68°N and west of 20°E are indicated by hatching.


































































Z





Z





















ζ,


O



















a



















A

























a

















34 8 SALINITY (0700)

34.9

35.0

5


35.1


500 <u></u>
34 5


a


34 6


34 7







































































).





(


G

























(0)
























C











3.





PN:


1


O
















a















































































G































a


















~








(3







































Q


C














































MICROCOPY RESOLUTION TEST CHART


















3,




a










Q





2,














































































O


6.

































































E.








a

O











a

O








(7


20


O
































































































O












a








Q


(2)























(7

Q





a







•








O




















































a























END

FILMED

8-85

DTIC